

# FOR CONTINUOUS USE RECARO Guard 24/7



Ideal for round-the-clock use in control and monitoring rooms: The RECARO Guard 24/7 has the perfect ergonomic shape, can be adjusted in numerous ways and is thus especially comfortable. Decisive factors for custom adaptation include adjustable backrest side bolsters, an adjustable fully upholstered headrest, lumbar support and individually adjustable armrests.



## // RFCARO Guard 24/7

## Standard features of RECARO Guard K

- + Adjustable backrest side bolsters
- + Special, ergonomically shaped seat cushions
- + Adjustable headrest
- + Backrest setting on both sides
- + Lumbar support
- + Robust mechanism, individually adjustable from approx. 60 to 130 kg
- + Gas-spring height adjustment
- + Lateral weight adjustment
- + 4D armrests (adjustable in width and height; rotating and adjustable arm support) or folding armrests
- + Large, stable aluminum base, polished
- + Casters for carpeting or hard floors

## **RECARO Guard L**

- + Standard features of RECARO Guard K
- + Extendable seat cushion

## Special version (at additional cost)

+ Reinforced mechanism, individually adjustable from approx. 80 to 200 kg

## **Options (at additional cost)**

- + Protective cover for headrest
- + Custom logo for headrest cover
- + Protective cover for seat
- + Protective cover for backrest
- + Protective cover for seat and backrest (Ambla leather/fabric)
- + ESD casters for hard or soft floors



## **RECARO Guard 24/7 seat cover options**



Ambla leather black



Ambla leather black Camira black



k Camira blac



Leather black

### Options



Reinforced mechanism (up to 200 kg)



Protective cover for headrest (black)



RECARO Guard L with 4D armrests and extendable seat cushion



RECARO Guard L with folding armrests and extendable seat cushion



Extendable seat cushion for optimum distribution of pressure on backside and thighs



Maintenance friendly mechanism, plus robust materials and cover fabrics (higher demands from use in automotive applications)



Bayermann Ay Risto Virtala

Kiviaidankatu 2 A 00210 Helsinki, Finland

Tel. +358 10 235 2320 Mobile: +358 400 511 544 risto.virtala@bayermann.fi www.bayermann.fi







## SITTING SUPERBLY, WORKING RELAXED RECARO Utility XL





## // RECARO Utility XL

## keep it simple:

Its simple adjustment possibilities, the high resilience and the uncompromising RECARO quality turn it into the ideal working equipment in offices and control rooms.

- + robust
- + long living
- + multifaceted, multifunctional, for heavy use
- + high seating comfort
- + open, neutral and ergonomic cushion form

The mechanics of the RECARO Utility XL can be adjusted to the weight of the respective user.

Therefore 2 different chair mechanics could be chosen:

Standard: aprox. 60 – 130 kg Optionally: aprox. 80 – 200 kg

## Order no.: 301.00.0420

RECARO Utility XL - swivel chair

- + Cover: Fabric anthracite
- + with 4D-armrests
  - wide, rotatable arm support
  - adjustable in width
  - adjustable in height
- horizontally adjustable
- + resilient up to aprox. 200 kg
- free swinging function, permanently moveable or latching in 3 positions
- + with castors for hard or soft floors

### Order no.: 301.00.0440

RECARO Utility XL - swivel chair

- + Cover: Fabric anthracite
- + with folding-armrests
- inclination shiftable via handwheel under the armrest
- can flap back upwards
- + resilient up to aprox. 200 kg
- + free swinging function, permanently moveable or latching in 3 positions
- + with castors for hard or soft floors



## Accessories (surcharge)

- + Special castors in chrome ring or rim design
- + Sliders (without surcharge)
- + XL back rest cover, removable, fabric anthracite
- + XL seat cover, removable, fabric anthracite
- + extra high gas lift (+ 5 cm)

## Technical data RECARO Utility XL

- + Seat height 400 540 mm optionally 405 – 545 mm
- + Seat width 490 mm
- + Seat length 500 mm
- + Width/height of back rest 510/730 mm
- + Height of back rest with head rest 870 mm
- + Angle of backrest to seat surface adjustable to 17°
- + Width/length folding-armrest 106/360 mm
- + Width/length 4D-armrest 110/230 mm
- + Castors for hard or soft floors
- + Cross base aluminium polished, ø 720 mm
- + Weight adjustment cantilever function aprox. 60 130 kg
  - optionally aprox. 80 200 kg
- + Movement of angle cantilever function -7° - +24°
- + Warranty 2 years on all parts



## Maahantuoja:

Bayermann 00210 Helsinki, Finland Tel. +358 400 511 544 risto.virtala@bayermann.fi www.bayermann.fi



